


Press-on Tires



13 Forklift

13.2 Press-on Tires

13.2.1 VULKOLLAN



Tolerances according to ETRTO metric and inch.
 Band in VULKOLLAN® 92° Shore A (firmly bonded)
 Smooth (FL) of Treaded (GL)

VK FL 100 043 055	100	43	55				FL	375	300
VK FL 100 070 055	100	70	55				FL	600	500
VK FL 125 040 075	125	40	75				FL	425	350
VK FL 125 050 075	125	50	75				FL	525	425
VK FL 135 050 085	135	50	85				FL	575	475
VK FL 125 050 090	125	50	90				FL	550	450
VK FL 155 100 090	155	100	90				FL	1,250	1,050
VK FL 150 030 100	150	30	100				FL	375	300
VK FL 150 040 100	150	40	100				FL	500	400
VK FL 140 050 100	140	50	100				FL	600	500
VK FL 150 050 100	150	50	100				FL	625	525
VK FL 160 050 100	160	50	100				FL	650	525
VK FL 200 050 100	200	50	100				FL	700	575
VK FL 160 060 100	160	60	100				FL	775	625
VK FL 150 065 100	150	65	100				FL	825	675
VK FL 150 075 100	150	75	100				FL	950	775
VK FL 200 075 100	200	75	100				FL	1,050	850
VK FL 150 130 100	150	130	100				FL	1,650	1,350
VK FL 200 085 105	200	85	105				FL	1,200	1,000
VK FL 180 100 105	180	100	105				FL	1,400	1,150
VK FL 200 130 105	200	130	105				FL	1,850	1,500
VK FL 180 050 120	180	50	120				FL	725	600
VK FL 180 075 120	180	75	120				FL	1,100	900
VK FL 200 075 120	200	75	120				FL	1,150	950
VK FL 230 075 120	230	75	120				FL	1,200	1,000
VK FL 200 080 120	200	80	120				FL	1,200	1,000
VK FL 200 105 120	200	105	120				FL	1,600	1,300
VK DL 190 051 1270	190	51	127		7 1/2 x 2	x 5	FL	775	625
VK DL 230 089 1270	230	89	127		9	x 3 1/2 x 5	FL	1,450	1,200
VK FL 200 050 140	200	50	140				FL	825	675
VK FL 250 075 140	250	75	140				FL	1,300	1,050



Forklift **13**
Press-on Tires **13.2**
VULKOLLAN **13.2.1**

VK FL 230 100 140	230	100	140.0					FL	1,700	1,400
VK FL 250 130 140	250	130	140.0					FL	2,200	1,800
VK FP 250 130 140	250	130	140.0					GL	2,200	1,800
VK FL 230 085 145	230	85	145.0					FL	1,450	1,200
VK FL 225 100 145	225	100	145.0					FL	1,700	1,400
VK FL 250 135 145	250	135	145.0					FL	2,350	1,950
VK DP 254 102 1571	254	102	157.1	10	x 4	x 6 3/16		GL	1,850	1,500
VK DL 254 127 1587	254	127	158.7	10	x 5	x 6 1/4		FL	2,350	1,950
VK FL 265 130 160	265	130	160.0					FL	2,400	1,950
VK FL 265 160 160	265	160	160.0					FL	3,000	2,500
VK DL 254 076 1651	254	76	165.1	10	x 3	x 6 1/2		FL	1,450	1,200
VK DP 233 085 1651	233	85	165.1	9 3/16	x 3	11/32 x 6 1/2		GL	1,600	1,300
VK DL 254 102 1651	254	102	165.1	10	x 4	x 6 1/2		FL	1,950	1,600
VK DP 254 102 1651	254	102	165.1	10	x 4	x 6 1/2		GL	1,950	1,600
VK DL 254 114 1651	254	114	165.1	10	x 4 1/2	x 6 1/2		FL	2,150	1,750
VK DL 254 127 1651	254	127	165.1	10	x 5	x 6 1/2		FL	2,400	1,950
VK DL 267 152 1651	267	152	165.1	10 1/2	x 6	x 6 1/2		FL	2,900	2,400
VK FL 250 060 170	250	60	170.0					FL	1,150	950
VK FL 230 075 170	230	75	170.0					FL	1,400	1,150
VK FL 280 075 170	280	75	170.0					FL	1,450	1,200
VK FL 250 080 170	250	80	170.0					FL	1,550	1,250
VK FP 250 080 170	250	80	170.0					GL	1,550	1,250
VK FL 230 085 170	230	85	170.0					FL	1,600	1,300
VK FL 260 085 170	260	85	170.0					FL	1,650	1,350
VK FP 260 085 170	260	85	170.0					GL	1,650	1,350
VK FL 300 085 170	300	85	170.0					FL	1,650	1,350
VK FL 230 100 170	230	100	170.0					FL	1,900	1,550
VK FL 250 105 170	250	105	170.0					FL	2,000	1,650
VK FL 260 105 170	260	105	170.0					FL	2,000	1,650
VK FP 260 105 170	260	105	170.0					GL	2,000	1,650
VK DL 230 070 1778	230	70	177.8	9	x 2 3/4	x 7		FL	1,350	1,100
VK DL 254 102 1778	254	102	177.8	10	x 4	x 7		FL	2,000	1,650
VK FL 254 114 180	254	114	180.0					FL	2,250	1,850
VK FL 315 145 180	315	145	180.0					FL	2,900	2,400
VK FL 250 050 190	250	50	190.0					FL	1,050	850
VK FL 250 060 190	250	60	190.0					FL	1,250	1,050
VK FL 250 070 190	250	70	190.0					FL	1,450	1,200
VK FL 250 080 190	250	80	190.0					FL	1,650	1,350
VK FL 250 105 190	250	105	190.0					FL	2,150	1,750
VK FL 254 120 190	254	120	190.0					FL	2,450	2,000
VK DL 330 145 1934	330	145	193.4	13	x 5 23/32	x 7 5/8		FL	3,000	2,500
VK FL 285 100 200	285	100	200.0					FL	2,150	1,750
VK FL 300 090 203	300	90	203.0					FL	1,950	1,600
VK FL 300 100 203	300	100	203.0					FL	2,150	1,750
VK FP 300 100 203	300	100	203.0					GL	2,150	1,750
VK FL 310 120 203	310	120	203.0					FL	2,600	2,100
VK FL 313 130 203	313	130	203.0					FL	2,800	2,300
VK DL 254 076 2032	254	76	203.2	10	x 3	x 8		FL	1,650	1,350
VK DL 267 089 2032	267	89	203.2	10 1/2	x 3 1/2	x 8		FL	1,950	1,600

13

Forklift











13.2

Press-on Tires

13.2.1

VULKOLLAN



									
VK DL 330 089 2032	330	89	203.2	13	x 3 1/2	x 8	FL	1,900	1,550
VK DL 254 102 2032	254	102	203.2	10	x 4	x 8	FL	2,200	1,800
VK DL 330 114 2032	330	114	203.2	13	x 4 1/2	x 8	FL	2,450	2,000
VK DL 305 127 2032	305	127	203.2	12	x 5	x 8	FL	2,800	2,300
VK DL 330 127 2032	330	127	203.2	13	x 5	x 8	FL	2,700	2,200
VK DL 330 140 2032	330	140	203.2	13	x 5 1/2	x 8	FL	3,000	2,500
VK DL 343 140 2032	343	140	203.2	13 1/2	x 5 1/2	x 8	FL	3,000	2,500
VK DP 343 140 2032	343	140	203.2	13 1/2	x 5 1/2	x 8	GL	3,000	2,500
VK DL 305 152 2032	305	152	203.2	12	x 6	x 8	FL	3,300	2,700
VK FL 310 060 220	310	60	220.0				FL	1,400	1,150
VK FL 285 075 220	285	75	220.0				FL	1,750	1,450
VK FL 285 100 220	285	100	220.0				FL	2,300	1,900
VK FL 310 120 220	310	120	220.0				FL	2,800	2,300
VK DL 285 100 2286	285	100	228.6	11 7/32	x 3 15/16	x 9	FL	2,350	1,950
VK DL 305 127 2286	305	127	228.6	12	x 5	x 9	FL	3,000	2,500
VK FL 300 060 230	300	60	230.0				FL	1,450	1,200
VK FL 300 100 230	300	100	230.0				FL	2,400	1,950
VK FL 300 075 240	300	75	240.0				FL	1,850	1,500
VK FL 343 114 245	343	114	245.0				FL	2,800	2,300
VK FL 310 120 245	310	120	245.0				FL	3,000	2,500
VK DL 305 076 2540	305	76	254.0	12	x 3	x 10	FL	1,950	1,600
VK DL 330 089 2540	330	89	254.0	13	x 3 1/2	x 10	FL	2,300	1,900
VK DL 330 114 2540	330	114	254.0	13	x 4 1/2	x 10	FL	2,900	2,400
VK DL 343 114 2540	343	114	254.0	13 1/2	x 4 1/2	x 10	FL	2,900	2,400
VK DL 330 127 2540	330	127	254.0	13	x 5	x 10	FL	3,300	2,700
VK FL 360 060 270	360	60	270.0				FL	1,600	1,300
VK FL 350 110 270	350	110	270.0				FL	3,000	2,500
VK FL 350 140 270	350	140	270.0				FL	3,800	3,100
VK FL 350 090 280	350	90	280.0				FL	2,500	2,100
VK FL 350 100 280	350	100	280.0				FL	2,800	2,300
VK FL 400 100 280	400	100	280.0				FL	2,700	2,200
VK FL 350 127 282	350	127	282.0				FL	3,600	3,000
VK FL 380 127 282	380	127	282.0				FL	3,500	2,900
VK DL 380 127 2857	380	127	285.7	15	x 5	x 11 1/4	FL	3,500	2,900
VK DL 360 152 2857	360	152	285.7	14 5/32	x 6	x 11 1/4	FL	4,300	3,500
VK DL 380 152 2857	380	152	285.7	15	x 6	x 11 1/4	FL	4,200	3,400
VK DL 380 178 2857	380	178	285.7	15	x 7	x 11 1/4	FL	4,900	4,000
VK DL 380 203 2857	380	203	285.7	15	x 8	x 11 1/4	FL	5,600	4,600
VK FL 400 125 290	400	125	290.0				FL	3,400	2,800
VK FL 400 130 290	400	130	290.0				FL	3,600	3,000
VK FL 405 145 290	405	145	290.0				FL	4,000	3,300
VK FL 400 060 305	400	60	305.0				FL	1,800	1,500
VK FL 400 065 305	400	65	305.0				FL	1,950	1,600
VK FL 400 075 305	400	75	305.0				FL	2,200	1,800
VK FL 415 075 305	415	75	305.0				FL	2,200	1,800
VK FL 415 090 305	415	90	305.0				FL	2,600	2,100
VK FL 400 100 305	400	100	305.0				FL	3,000	2,500
VK FL 415 100 305	415	100	305.0				FL	2,900	2,400
VK FP 400 130 305	400	130	305.0				GL	3,900	3,200



VK FL 405 130 305	405	130	305.0					FL	3,800	3,100
VK FL 425 150 305	425	150	305.0					FL	4,300	3,500
VK DL 406 178 3050	406	178	305.0	16	x 7	x 12		FL	5,200	4,300
VK FL 405 180 305	405	180	305.0					FL	5,300	4,300
VK DL 430 127 3080	430	127	308.0	17	x 5	x 12 1/8		FL	3,700	3,000
VK DL 430 152 3080	430	152	308.0	17	x 6	x 12 1/8		FL	4,400	3,600
VK FL 500 085 370	500	85	370.0					FL	2,800	2,300
VK FL 500 140 370	500	140	370.0					FL	4,600	3,800
VK DL 445 178 3810	445	178	381.0	17 1/2	x 7	x 15		FL	6,500	5,300
VK DL 560 203 4064	560	203	406.4	22	x 8	x 16		FL	6,700	5,500
VK DL 560 229 4064	560	229	406.4	22	x 9	x 16		FL	7,600	6,200
VK DL 560 254 4064	560	254	406.4	22	x 10	x 16		FL	8,400	6,900
VK FL 610 150 410	610	150	410.0					FL	4,500	3,700
VK FL 645 250 500	645	250	500.0					FL	9,900	8,100
VK DL 737 203 5842	737	203	584.2	29	x 8	x 23		FL	8,900	7,300
VK DL 711 203 5588	711	203	558.8	28	x 8	x 22		FL	8,600	7,100
VK DL 711 254 5588	711	254	558.8	28	x 10	x 22		FL	10,800	8,900
VK DL 711 305 5588	711	305	558.8	28	x 12	x 22		FL	12,900	10,600
VK DL 711 356 5588	711	356	558.8	28	x 14	x 22		FL	15,100	12,400
VK DL 711 406 5588	711	406	558.8	28	x 16	x 22		FL	17,200	14,100
VK DL 737 203 5842	737	203	584.2	29	x 8	x 23		FL	8,900	7,300
VK DL 914 203 7620	914	203	762.0	36	x 8	x 30		FL	11,100	9,100
VK DL 914 254 7620	914	254	762.0	36	x 10	x 30		FL	13,900	11,400
VK DL 914 305 7620	914	305	762.0	36	x 12	x 30		FL	16,700	13,700
VK DL 914 356 7620	914	356	762.0	36	x 14	x 30		FL	19,400	15,900
VK DL 914 406 7620	914	406	762.0	36	x 16	x 30		FL	22,200	18,200

- Very strong bonded tread.
- Operating Temperature: -40°C to +85°C, 120°C intermittent. (-40° F to 185°F, 248°F intermittent)
- Minimal rolling resistance and very good rolling properties.
- Non-marking.
- Resistant to oils, greases and many chemicals.
- Shockproof and sound dampening.
- Suitable for medium to heavy trucks, even with moderate to poor floor conditions.
- Options: Custom - Various Hardnesses - Conductive Vulkollan[®]
 Specific tread patterns - Anti-hydrolysis solution (for hot and humid environments) - Welded steel surface