

TRUMPF slat cleaner:

# The specialist for clean support slats.



If you cut sheet metal with a flatbed laser machine, now you can save up to 75% of the cost of support slats. The TRUMPF TruTool TSC 100 slat cleaner cleans slag from your slats – over and over, and much more quickly than cleaning by hand. So you can use your support slats significantly longer.





## For high quality and reliable process.

Clean support slats boost production reliability, improving the quality of the finished parts. The slat cleaner automatically adapts to different slag thicknesses and the operator can move the tool up to the pallet frame.

The slat cleaner can be used for the most diverse materials. Even stainless steel slag is reliably removed so that even heavily soiled slats do not represent a problem. Another bonus is that the slat cleaner is able to clean selectively - in other words, it can be used on any specific area and then removed. TruTool 100 can quickly and reliably clean almost all conventional flatbed laser machines.


## Particular strengths:

- Repeated cleaning of support slats possible
- Can be operated by just one person
- Suitable for the most diverse materials, especially for stainless steel
- Reliable and quiet
- Simple, trouble-free operation
- Cost-effective operation

## Special machines

### Slat cleaner (power tools)

#### TruTool TSC 100



- Can be operated by just one person
- High working speed
- Adapts automatically to different slag thicknesses
- On flatbed laser machines with a pallet changer, cleaning takes place while production is running.

#### Technical Data TruTool TSC 100

Support slats thickness	mm	2 - 3.9
Max. slag thickness	mm	25
Min. spacing between support slats	mm	33.5
Working speed	m / min	4 - 8
Rated input power	W	1400
Weight	kg	16.3

#### Accessories TruTool TSC 100

##### Included accessories

Cleaning tool No. 3 (incl. seal)	3 - 3.9 mm	integrated
Handle complete		included
Transport unit		included
Distance plate		integrated
Seal with alert control		integrated
Seal with alert control		included
Glide plate		1619017
Hexagon head screw	4 mm	0369003
Hexagon head screw	6 mm	1640682

##### Available accessories

Cleaning tool No. 2 (incl. seal)	(2 - 2.9 mm) (set of 2, 1644868)	
Cleaning tool No. 3 (incl. seal)	(3 - 3.9 mm) (set of 2, 1644867)	
Transport unit		1634956
Seal		1633583
Seal with alert control		2046587
Set (4x sliding disk, 2x seal with alert control)		1681498
Distance plate		1734714

## Special machines

### Slat cleaner (power tools)



#### Cleaning tool

No. 2 for slat thickness  
2 - 2.9 mm  
No. 3 for slat thickness  
3 - 3.9 mm



#### Seal

Delivered with the cleaning tool



Seal with alert control



Sliding disk, seal with alert control



Distance plate